

An environmentally friendly, non-slip, impact absorbing safety surface.







Grass? We've got it covered...

Rubber mats are a cost-effective solution to increasing the safety of natural grass surfaces. Common applications include...

- Children's Play Areas
- Events Ground Protection
- High Footfall Pathways
- General Ground Reinforcement



Why **RubbaGrass**®?

Many safety surfaces require compromises, but RubbaGrass® stands out. It offers low maintenance and cost-effectiveness, making it ideal for covering large areas — unlike Artificial Grass or RubbaTiles®.

Unlike Wood Mulch and Sand, it doesn't need regular topping up and doesn't pose any safety risks.



The grass really is **greener...**

Grass will grow through and cover the apertures of the rubber grass matting within 4-6 weeks, at which point the grass can be mowed as usual!

Green Tip #1

Please check the suitability of this product prior to installation, as Critical Fall Height will be affected by the soil type, moisture levels, and grass.

Green Tip #2

We recommend using Grasshield® alongside RubbaGrass® for additional reinforcement where ground is prone to get boggy.

	RubbaGrass®	Artificial Grass	RubbaTiles®	Grass	Sand	Wood Mulch
Durability	Excellent	Excellent	Excellent	Good	Good	Fair
Protection	3 m	3m	Up to 2.4m	1.5m	3 m	3 m
Maintenance	1 Easy	2 Easy	3 Easy	7 Fair	8 Difficult	8 Difficult
Accessibility	Excellent	Excellent	Excellent	Fair	Poor	Poor
Risks	Good	4 Good	6 Fair	Good	9 Poor	9 Poor
Hygiene	Good	Good	Good	5 Fair	10 Poor	10 Poor
Cost	Low	High	High	Low	Low	Fair

- **1.** Mowing required.
- 2. Yearly fluffing required.
- **3.** Yearly power wash required.
- **4.** Friction burns are possible.

- **5.** Hidden objects possible.
- **6.** Heat burns are possible.
- **7.** Regular seeding in high footfall areas.
- **8.** Raking and topping up.
- **9.** Can get into eyes.
- **10.** Hidden objects and animal contamination.

RubbaGrass®

How To Install

All of our rubber matting can be fitted onto existing grass, seeded topsoil, and new turf!



RubbaGrass®

green across the board.

Recycled and recyclable, RubbaGrass® is a great environmentally friendly solution.



Peg Mats

Peg the mats to the ground, using approximately 3 - 5 pegs per perimeter edge.



Preparation

Mark out the site where the RubbaGrass® is to be laid. Clear debris and cut the grass short.

Levelling

Level out uneven areas with a quality top soil for seeding or to turf the area.

3

Stabilise

Where ground is prone to being boggy and wet you may lay Grasshield® to help stabilise the ground in that area.



Safety Mats

Lay the safety mats onto the ground, cutting to fit around any obstacles or equipment.



Cable Ties

Ensure the rubber safety mats are butted closely together when laying, then use cable ties at 150mm intervals to securely join the mats together.

Secure

6

Cut the ends of the cable ties and push the, "knuckles", of the cable ties underneath the matting.




Additional Tips


These steps will achieve better edge blending and avoid tripping over the mats or having them pulled up by mowing.

Roll back approximately 150mm from the edge of the rubber safety matting using a spade or cutting tool. Put the rubber safety mats back into place and peg through the holes. Refill the edge with top soil and seed or turf to regain the original level surface.

Green Tip #3

Tools you'll need include a tape measure, secateurs, a Stanley knife, rubber gloves, a hammer, a grass edge cutter, a rechargeable drill, and a 6mm drill bit.





Additional Rubber Products

Wet Pour Edge


Artificial Grass Edge

Featured Product

RubbaEdge

RubbaEdge® has been specifically designed to install with safety surfacing and matting products to enable easy wheelchair, buggy and trolley access.

- Super easy to install
- Highly durable



Featured Product

RubbaSnow

Our RubbaSnow® non slip mats are a highly durable, safe flooring solution for all weather conditions. The mats are lightweight which makes them easy to install and remove as you desire.

- Easy to fit, anti-slip surfacing
- Shock absorbent, so soft on falls
- Strong tolerance of extreme cold conditions

Product Details

Black and Green are our standard colours, but other colours are available upon special order. Commonly ordered in a pallet quantity; 60 to 80 mats.

Code	Product	Size	Thickness
SS04100/22	RubbaGrass® Matting, Black	1,500mm x 1,000mm	22mm
SS04100/22G	RubbaGrass® Matting, Green	1,500mm x 1,000mm	22mm
SS04100/22/FR	Flame Retardant RubbaGrass® Matting	1,500mm x 1,000mm	22mm
RC04100/16	RubbaGrass® Lite Matting	1,500mm x 1,000mm	16mm
RC04139	RubbaLawn® Interlocking Matting	910mm x 910mm	14mm
GG01460	Grasshield Reinforcement Mesh	2,000mm x 30,000mm	4mm
GG01460-1.5	Grasshield Reinforcement Mesh	1,500mm x 30,000mm	4mm
ACC022	Black Cable Ties (pack of 100)	200mm x 4.8mm	-
ACC003	Plastic Fixing Pegs	140mm length	-

FAQ's

Questioned and Answered

- **Q** | How impact resistant is RubbaGrass®?
- RubbaGrass® is rated for falls of up to 3 metres, and complies with BS EN 1177:2018 as a result.
- **Q** | Does RubbaGrass® last a long time?
- Our RubbaGrass® comes with an impressive 10 year product guarantee, ensuring peace of mind.

- **Q** What colour is RubbaGrass®?
- The standard options are black and green, but any colour is possible upon special order; just ask!
- **Q** | How long before I can mow the RubbaGrass®?
- A Grass will begin to grow through the matting within 4-6 weeks after installation. From this point, the area can be easily mowed.

Get In Touch

Our team of experts are always available. Contact us today to make an enquiry!

- +44 (0) 1794 328411
- grassmats.eu

EU Warehouse

Grass Mats Europe B.V. 5928 La Venlo The Netherlands KVK No. 83712038

UK Headquarters

The Rubber Company TRC House, Unit 21 Romsey Industrial Estate SO51 0HR



SafaWood®

An anti-slip wooden decking with EPDM rubber infill.

RubbaTiles®

Available in a wide range of colours and

RubbaPour®

Our RubbaPour® wet pour EPDM granules provide a cost-effective solution to anyone who is looking to install a safety surface.





GrassMats® Europe is a member of *The Rubber Company* - providing an even wider range of options when it comes to safety flooring.

TO VISIT OUR WEBSITE SCAN ME!

